STELLAR

Stellar Attendance

Our devices are fine tuned to minimize your cost

Wire Free System

Ready

☆
STELLAR

All devices are stand alone and wirelessly connected, eliminating LAN cabling or need for local PC. Attendance/access data are updated to your server within few moments. Stellar devices don't need IT experts to install or replace. A new device can be added from any mobile device/PC without any hassle. Our Web platform and APIs allow you to seamlessly integrate the devices to your current software with just few clicks.

Reduce Overhead

Lower Installation Cost

By designing and optimizing for local needs we could lower the price significantly compared to imported products while maintaining high quality.

Reduce Maintenance Cost

All our devices can be maintained remotely without sending an expert. New features can be pushed Over the Air (OTA). This can reduce your maintenance cost dramatically.

Give Uninterrupted Service

Stellar devices can be connected to standard power banks to provide service without interruption during power failure.

Ready

STELLAR

Provide Better Support

Provide Superior Customer Care

In case of fault/failure, our system provides immediate notifications. A smooth service to your client is our top priority.

Get Life-time Warranty

We stand behind our products. All our devices come with full lifetime warranty (Repair and replacement).

Be Part of a Larger Dream

Our devices are proudly designed and made in Bangladesh.

Wireless RFID Attendance

Model No.	STRF- 001-S
Device Type	RFID Scanner
Card Type	EM/MiFare
Read Range	3-5 cm (max)
User/Unit	2,000
Event logs	10,000
LCD Display	1.8 inch color
Beep Tone	Yes
Power Input	5V (DC), 1Amp
Comm. Interface	Wi-Fi
Operating Temp.	0° C ~ 55° C / 32° F ~ 131° F
Relative Humidity	20% ~ 80% (Non-condensing)

Wireless RFID Attendance

Model No.	STRF- 001-L
Device Type	RFID Scanner
Card Type	EM/MiFare
Read Range	3-5 cm (max)
User/Unit	2,000
Event logs	10,000
LCD Display	1.8 inch color
Beep Tone	Yes
Power Input	5V (DC), 1Amp
Comm. Interface	Wi-Fi
Operating Temp.	0° C ~ 55° C / 32° F ~ 131° F
Relative Humidity	20% ~ 80% (Non-condensing)

Wireless Fingerprint Attendance

Model No.	STFIN- 001-S
Device Type	Fingerprint Scanner
Card Type	None
Resolution	500 dpi
User/Unit	2,000
Event logs	10,000
LCD Display	1.8 inch color
Beep Tone	Yes
Power Input	5V (DC), 1Amp
Comm. Interface	Wi-Fi
Operating Temp.	0° C ~ 55° C / 32° F ~ 131° F
Relative Humidity	20% ~ 80% (Non-condensing)

Device Management Software

- Responsive design accessible from any mobile or desktop platform with convenient dashboard for:
    - Device commissioning
    - Remote device monitoring
    - Add/Delete User
    - Add user using CSV
    - Delete/Deactivate User
    - Grant/Revoke access individually
    - View Access Log
    - Simple Absent Logs
    - API to request for logs